

## EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	4033	(server headend "central office") SAME ((allocat\$3 limit\$3 dedicat\$3 restrict\$3) NEAR3 (single only one particular) NEAR3 (user subscriber viewer customer computer receiver))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/16 11:56
L2	760	1 AND ((@ad <= "19981231") or (@rlad <= "19981231"))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/16 11:57
L3	17114	"725"/\$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/16 11:57
L4	62	2 AND 3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/16 11:57
L5	128	("4829372").URPN.	USPAT	OR	ON	2008/02/16 12:32
L6	15	("4506387"   "4521806"   "4567512"   "4580161"   "4584603"   "4590516"   "4623920"   "4677685"   "4734764"   "4761684"   "4763191"   "4829372"   "4866515"   "4890320"   "5051822").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2008/02/16 12:36
L7	15	("3278677"   "3654708"   "4008369"   "4074310"   "4323921"   "4381522"   "4506387"   "4518989"   "4567512"   "4584603"   "4590516"   "4761684"   "4763191"   "4789863").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2008/02/16 12:38
L8	143	725/94.ccls.	US-PGPUB; USPAT; USOCR	OR	ON	2008/02/16 12:43
L9	55	8 AND ((@ad <= "19981231") or (@rlad <= "19981231"))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/16 12:44
L10	21	fenwick-rich\$4.in. or power-don\$3. in. or barnett-brian.in. or miner-john\$.in.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/16 12:57

## EAST Search History

L11	3652	725/91-104,114-117,138,144-147. ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/16 12:59
L12	602636	((("set top" cable user viewer consumer CATV receiver) NEAR2 (controller decoder terninal box device unit receiver equipment)) or STB or STT or IRD	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/16 13:01
L13	625111	((("set top" cable user viewer consumer CATV receiver subscriber) NEAR2 (controller decoder terninal box device unit receiver equipment)) or STB or STT or IRD	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/16 13:02
L14	31518	((allocat\$3 limit\$3 dedicat\$3 restrict\$3) NEAR3 (single only one particular) NEAR3 (user subscriber viewer customer computer receiver 13))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/16 13:03
L15	283	11 AND 14	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/16 13:03
L16	135	15 AND ((@ad <= "19981231") or (@rlad <= "19981231"))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/16 13:04
L17	42762	((assign\$4 allocat\$3 limit\$3 dedicat\$3 restrict\$3) NEAR3 (single only one particular) NEAR3 (user subscriber viewer customer computer receiver 13))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/16 13:05
L18	57862	((assign\$4 allocat\$3 limit\$3 dedicat\$3 restrict\$3) NEAR4 (single only one particular) NEAR4 (user subscriber viewer customer computer receiver 13))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/16 13:05
L19	16916	18 AND ((@ad <= "19981231") or (@rlad <= "19981231"))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/16 13:05

## EAST Search History

L20	258	11 AND 19	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/16 13:06
L21	61419	"709"/\$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/16 13:12
L22	1507	21 AND 19	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/16 13:12
L23	1098	709/217-237.ccls. AND 19	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/16 13:14
L24	374	709/217-219.ccls. AND 19	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/16 13:14
L25	4227	(server headend ((center central main distribut\$3) NEAR2 (office hub)) "head?end") SAME ((allocat\$3 limit\$3 dedicat\$3 restrict\$3) NEAR3 (single only one particular) NEAR3 (user subscriber viewer customer computer receiver PC 13))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/16 14:33
L26	877	25 AND ((@ad <= "19981231") or (@rlad <= "19981231"))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/16 14:34
L27	135	3 AND 16	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/16 14:34
L28	106	27 NOT 4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/16 14:34

## EAST Search History

L29	5442	(server headend ((center central main distribut\$3) NEAR2 (archiv\$2 office hub library)) "head?end") WITH (unit device processor modulator board computer server ) SAME ((allocat\$3 limit\$3 dedicat\$3 restrict\$3 assign\$4) NEAR3 (single only one particular) NEAR3 (user subscriber viewer customer computer receiver PC 13))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/16 15:22
L30	5483	(server headend ((center central main distribut\$3) NEAR2 (archiv\$2 office hub library)) "head?end") WITH (unit device processor modulator board computer server ) SAME ((allocat\$3 limit\$3 dedicat\$3 restrict\$3 assign\$4) NEAR3 (single only one particular) NEAR3 (user subscriber viewer room customer computer receiver PC 13))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/16 15:23
L31	5808	(server headend ((center central main distribut\$3) NEAR2 (archiv\$2 office hub library)) "head?end") WITH (unit device processor modulator board computer server ) SAME ((allocat\$3 limit\$3 dedicat\$3 restrict\$3 assign\$4) NEAR3 (single only one particular) NEAR3 (user subscriber terminal viewer room customer computer receiver PC 13))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/16 15:24
L32	1144	31 AND ((@ad <= "19981231") or (@rlad <= "19981231"))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/16 15:24
L33	77	3 AND 32	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/16 15:24
L34	10031	(server headend ((center central main distribut\$3) NEAR2 (archiv\$2 office hub library)) "head?end") SAME (resource unit device processor modulator board computer server ) WITH (allocat\$3 limit\$3 dedicat\$3 restrict\$3 assign\$4) WITH ((single only one particular) NEAR4 (user subscriber terminal viewer room customer computer receiver PC 13))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/16 15:32

## EAST Search History

L35	1768	34 AND ((@ad <= "19981231") or (@rlad <= "19981231"))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/16 15:33
L36	90	3 AND 35	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/16 15:33
L37	11790	(server headend ((center central main distribut\$3) NEAR2 (archiv\$2 office hub library)) "head?end" database) SAME (resource unit device processor modulator board computer server ((recording playback reproduc\$3) NEAR2 (device unit means)) VCR VTR) WITH (\$2allocat\$3 limit\$3 \$2dedicat\$3 restrict\$3 \$2assign\$4) WITH ((single only one particular) NEAR4 (user subscriber terminal viewer room customer computer receiver PC 13))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/16 15:47
L38	2132	37 AND ((@ad <= "19981231") or (@rlad <= "19981231"))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/16 15:47
L39	51265	(resource unit device processor modulator board computer server ((recording playback reproduc\$3) NEAR2 (device unit means)) VCR VTR) WITH (\$2allocat\$3 limit\$3 \$2dedicat\$3 restrict\$3 \$2assign\$4) WITH ((single only one particular) NEAR4 (user subscriber terminal viewer room customer computer receiver PC 13))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/16 15:48

## EAST Search History

L40	7742	(server headend ((center central main distribut\$3) NEAR2 (archiv\$2 office hub library)) "head?end" database) WITH (resource unit device processor modulator board computer server ((recording playback reproduc\$3) NEAR2 (device unit means)) VCR VTR) WITH (\$2allocat\$3 limit\$3 \$2dedicat\$3 restrict\$3 \$2assign\$4) WITH ((single only one particular) NEAR4 (user subscriber terminal viewer room customer computer receiver PC 13))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/16 15:49
L41	1363	40 AND ((@ad <= "19981231") or (@rlad <= "19981231"))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/16 15:49
L42	80	3 AND 41	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/16 15:49
L43	3119	(server headend ((center central main distribut\$3) NEAR2 (archiv\$2 office hub library)) "head?end" database) WITH (resource unit device processor modulator board computer server ((recording playback reproduc\$3) NEAR2 (device unit means)) VCR VTR) WITH (\$2allocat\$3 limit\$3 \$2dedicat\$3 restrict\$3 \$2assign\$4) WITH ((single only one particular) NEAR4 (client))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/16 15:51
L44	625	43 AND ((@ad <= "19981231") or (@rlad <= "19981231"))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/16 15:51
L45	26	3 AND 44	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/16 15:51
L46	77	23 AND 44	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/16 15:56

## EAST Search History

L47	214	(server headend ((center central main distribut\$3) NEAR2 (archiv\$2 office hub library)) "head?end" database) WITH (available availability free unassigned) WITH (resource unit device processor modulator board computer server ((recording playback reproduc\$3) NEAR2 (device unit means)) VCR VTR) WITH (\$2allocat\$3 limit\$3 \$2dedicat\$3 restrict\$3 \$2assign\$4) WITH ((single only one particular) NEAR4 (client))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/16 16:04
L48	44	47 AND ((@ad <= "19981231") or (@rlad <= "19981231"))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/16 16:04
L49	54	725/97.ccls. AND ((@ad <= "19981231") or (@rlad <= "19981231"))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/16 16:08
L50	72	725/82.ccls. AND ((@ad <= "19981231") or (@rlad <= "19981231"))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/16 16:11
L51	71	50 NOT 49	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/16 16:11
L52	71	50 NOT (9 49)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/16 16:12
L53	127	725/78.ccls. AND ((@ad <= "19981231") or (@rlad <= "19981231"))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/16 16:16
L54	108	53 NOT (9 49 52)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/16 16:16

## EAST Search History

L55	327	725/115.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/16 19:15
L56	89	55 AND ((@ad <= "19981231") or (@rlad <= "19981231"))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/16 19:15
L57	268	725/116.ccls. AND ((@ad <= "19981231") or (@rlad <= "19981231"))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/16 19:26
L58	235	57 NOT 56	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/16 19:26
L59	68	("4885803").URPN.	USPAT	OR	ON	2008/02/16 19:34
L60	111	725/117.ccls. AND ((@ad <= "19981231") or (@rlad <= "19981231"))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/16 19:49
L61	74	60 NOT (56 58)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/16 19:55